

SP




UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/804,856	03/19/2004	Thomas C. Green	NEO-005 CON	7428
1473	7590	01/19/2005	EXAMINER	
FISH & NEAVE IP GROUP ROPES & GRAY LLP 1251 AVENUE OF THE AMERICAS FL C3 NEW YORK, NY 10020-1105			JEFFERY, JOHN A	
			ART UNIT	PAPER NUMBER
			3742	

DATE MAILED: 01/19/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	10/804,856	GREEN ET AL. 	
	Examiner	Art Unit	
	John A. Jeffery	3742	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 19 March 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. ____. |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date <u>20041206</u> . | 6) <input type="checkbox"/> Other: ____. |

DETAILED ACTION

Cancellation of Claims

The examiner acknowledges applicant's cancellation of claims 2-21 in the Transmittal Letter accompanying the instant continuing application filed Mar. 19, 2004. Accordingly, only claim 1 remains pending.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Subject matter developed by another person, which qualifies as prior art only under subsection (f) and (g) of section 102 of this title, shall not preclude patentability under this section where the subject matter and the claimed invention were, at the time the invention was made, owned by the same person or subject to an obligation of assignment to the same person.

Claim 1 is rejected under 35 U.S.C. 103(a) as being unpatentable over Grimm (US5938583) in view of Burr et al (US2001/0049510) or DE4420232. Grimm (US5938583) discloses an apparatus for depositing radioactive seeds into a patient's prostate with an elongated needle adapted to receive a column of radioactive seeds and spacers. See abstract. According to col. 2, lines 24-26, the accurate and proper placement of the needle is "very important" to successful seed implantation. Moreover, improper insertion of the needle into the bladder is determined by visual techniques. Col. 4, lines 57-65.

The claim differs from Grimm in calling for providing conductive traces on the needle and circuitry associated therewith for determining whether the needle projects into the bladder. Burr et al (US2001/0049510) discloses the use of electrodes disposed on a needle for generating a signal indicating when the conducting portions have penetrated a body and reached a certain position. Note electrodes 122 and 123 in Fig. 10. See also Fig. 2 and Abstract. Note also resistor networks in Fig. 3.

Moreover, DE4420232 discloses a hollow needle or probe with means to detect the needle's penetration depth inserted into human tissue with first and second conductive traces (17, 18) that detect an "electromagnetic parameter value" such as resistance therebetween. See Abstract.

In view of either Burr et al or DE4420232, it would have been obvious to one of ordinary skill in the art to provide an automatic detection means mounted on the needle in the apparatus of Grimm so that a detection system was used that was mounted on the needle itself thus precluding the need for additional sensing devices such as ultrasonic monitors and the like. Such an arrangement significantly reduces the number apparatus parts needed in the detection system.


Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to John A. Jeffery whose telephone number is (571) 272-4781. The examiner can normally be reached on Monday - Thursday from 7:00 AM to 4:30 PM. The examiner can also be reached on alternate Fridays.

Art Unit: 3742

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robin Evans, can be reached on (571) 272-4777. All faxes should be sent to the centralized fax number at (703) 872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

A handwritten signature in black ink, reading "John A. Jeffery". The signature is fluid and cursive, with a large, stylized "J" and "A".

**JOHN A. JEFFERY
PRIMARY EXAMINER**

1/18/05